## **Amendments to the Claims:**

The following listing of claims will replace any/all prior versions, and listings, of claims in the application, wherein additions are shown in underlined text and deletions are shown in strike-out text:

- 1. (Currently Amended) A cosmetic composition comprising:
- a) polymers selected from the group consisting of hydrophilic copolymers and terpolymers-having a structure:

$$\begin{array}{c|c} CH_3 & H & H_2 & R \\ \hline (CH_2 - C)_m & CH_2 - C)_n & (CH_2 - C)_x \\ \hline O & O & R' \\ \hline H_2C & H_2C \\ OH & CH_2 \\ \hline OH & OH \\ \end{array}$$

$$\begin{array}{c|c} CH_3 & H \\ CH_2 - C & (CH_2 - C) \\ \hline O & O \\ CH_2 & CH_2 \\ H_2C & H_2C \\ OH & CH_2 \\ \end{array}$$

wherein R is CH3 or H,

R' is aliphatic, aromatic, carboxy acid, carboxy ester, amide, hydroxyl, or amine, m, n, and y, independently, are from about 1 to about 100, and x is from about 0 to 100;

- b) glycerols selected form the group consisting of glycerol, glycerol ethers, glycerol esters, and mixtures thereof; and
  - c) a polar volatile solvent.

- **2**. (Original) The cosmetic composition of claim **1** wherein the polymer is a hydrophilic copolymer.
- **3**. (Original) The cosmetic composition of claim **2** wherein the hydrophilic copolymer is poly(2-hydroxyethyl methacrylate-co-4-hydroxybutyl acrylate).
- **4**. (Original) The cosmetic composition of claim **3** wherein the hydrophilic copolymer is present at a level of from about 1% to about 50%.
- **5**. (Previously presented) The cosmetic composition of claim **3** wherein 2-hydroxyethyl methacrylate/4-hydroxybutyl acrylate ratio is from about 0.7:1 to about 4:1 and a glass transition is from about 5°C to about 55°C.
- **6**. (Original) The cosmetic composition of claim **1** further comprising a polymeric thickener.
- 7. (Previously presented) The cosmetic composition of claim 6 wherein the polymeric thickener is a cationic polyacrylate.
- **8**. (Previously presented) The cosmetic composition of claim **1** wherein the glycerol is a glyceryl ether.
- **9**. (Original) The cosmetic composition of claim **1** wherein the polar volatile solvent is a mixture of water and ethanol.
  - 10. (Original) The cosmetic composition of claim 9 comprising about 70% water.
- **11**. (Original) A lip product comprising the composition of claim **1** having a viscosity of from about 500cP to about 15,000cP at room temperature.
  - 12. (Canceled).
  - 13. (Canceled).
  - 14. (Canceled).
  - 15. (Canceled).
  - 16. (Currently Amended) A lip cosmetic kit comprising:
    - (I) a cosmetic composition comprising:
    - a) polymers selected from the group consisting of hydrophilic copolymers and terpolymers having a structure:

wherein R is CH3 or H,

R' is aliphatic, aromatic, carboxy acid, carboxy ester, amide, hydroxyl, or amine,

OH

У

m, n, and y, independently, are from about 1 to about 100<del>, and x is from about 0 to 100</del>;

- b) glycerols selected form the group consisting of glycerol, glycerol ethers, glycerol esters, and mixtures thereof; and
  - c) a polar volatile solvent; and
- (II) a complementary product comprising a topcoat composition that comprises a safe and effective amount of a polymeric vegetable oil emollient.
- 17. (Currently Amended) A lip cosmetic kit comprising:
  - (I) a cosmetic composition comprising:
  - a) polymers selected from the group consisting of hydrophilic copolymers and terpolymers having a structure:

$$\begin{array}{c|c} CH_3 & H & H_2 \\ \hline (CH_2 - C)_m & CH_2 - C)_n & C \\ \hline O & O & R' \\ \hline \\ O & O & R' \\ \hline \\ H_2C & CH_2 \\ \hline \\ OH & CH_2 \\$$

$$\begin{array}{c|c} CH_3 & H \\ CH_2 - C & M \\ CH_2 - C & D \\ \hline O & O \\ CH_2 & CH_2 \\ H_2C & H_2C \\ OH & CH_2 \\ \end{array}$$

wherein R is CH3 or H,

R' is aliphatic, aromatic, carboxy acid, carboxy ester, amide, hydroxyl, or amine,

m, n, and y, independently, are from about 1 to about 100<del>, and x is from about 0 to 100</del>;

- b) glycerols selected form the group consisting of glycerol, glycerol ethers, glycerol esters, and mixtures thereof; and
  - c) a polar volatile solvent; and
- (II) a complementary product comprising a topcoat composition that comprises a safe and effective amount of silicone modified fluorinated polymers.
- **18**. (Currently Amended) The cosmetic composition of claim **1** wherein the glycol glycerol ether comprises an ethoxylated glycol gylcerol.
- **19**. (Currently Amended) The cosmetic composition of claim **18** wherein the ethoxylated <u>glycol-glycerol</u> comprises glycereth G-26, glycereth G-7, or a mixture thereof.

- **20**. (Previously presented) The cosmetic composition of claim 1 wherein the polar volatile solvent is selected from the group consisting of water, ethyl alcohol, isopropyl alcohol, butyl alcohol, and mixtures thereof.
- **21**. (Previously presented) The cosmetic composition of claim **1** further comprising a pigment selected from the group consisting of an aluminum lake, a barium lake, a calcium lake, an iron oxide, a titanium oxide, a titanated mica, and mixtures thereof.
  - 22. (Previously presented) The cosmetic composition of claim 1 comprising:
  - (a) about 10% to about 30% of a poly (2-hydroxyethyl methacrylate-co-4-hydroxybutyl acrylate);
    - (b) a glycerol ether; and
  - (c) a polar volatile solvent selected from the group consisting of water, ethyl alcohol, isopropyl alcohol, butyl alcohol, and mixtures thereof.
- **23**. (Previously presented) The cosmetic composition of claim **16** wherein the polymeric vegetable oil emollient comprises a sucrose polyester.
- **24**. (Previously presented) The cosmetic composition of claim **17** further comprising a modified silicone selected from the group consisting of an aminosilicone, a carboxy modified silicone, an epoxy modified silicone, and mixtures thereof.